

EASE ELECTRONICS CO., LTD. 26, LANE 659, PING TUNG RD., PING CHENG CITY, TAOYUAN, TAIWAN 
 Report No.
 : CE/2005/10268

 Date
 : 2005/01/11

 Page
 : 1 of 3

## The following merchandise was (were) submitted and identified by the client as :

<u>Type of Product</u>	:	CERAMIC DISC CAPACITORS, RADIAL LEADED AND DUREZ COATING
<u>Style/Item No</u>	:	Y5P CHARACTERISTIC, DB221K3A5L1C
Sample Received	:	2005/01/04
Testing Date	:	2005/01/04 TO 2005/01/11

\_\_\_\_\_

<u>**Test Result</u>** : - Please see the next page -</u>

Operation Manager

Signed for and on behalf of SGS TAIWAN LTD.

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company



EASE ELECTRONICS CO., LTD. 26, LANE 659, PING TUNG RD., PING CHENG CITY, TAOYUAN, TAIWAN

:

Report No.	: CE/2005/10268
Date	: 2005/01/11
Page	: 2 of 3

р

1.

## **Test Result**

Г

PART NAME NO.1

BROWN CERAMIC BODY WITH BLACK PRINTED (PLEASE REFER TO THE PHOTO ATTACHED) SILVER COLORED METAL PIN (PLEASE REFER TO

PART NAME NO.2

: THE PHOTO ATTACHED)

Test Item (s):	Unit	Method	MDL -	Result	
				No.1	No.2
PBBs(Polybrominated biphenyls)(CAS NO:059536- 65-1)	%	With reference to USEPA3540 or USEPA3550. Analysis was performed by HPLC/DAD, LC/MS or GC/MS. (prohibited by 2002/95/EC (RoHS), 83/264/EEC, and 76/769/EEC)	0.0005	N.D.	
PBBEs(PBDEs)(Polybrominat ed biphenyl ethers)	%	With reference to USEPA3540 or USEPA3550. Analysis was performed by HPLC/DAD, LC/MS or GC/MS. (prohibited by 2002/95/EC (RoHS), 83/264/EEC, and 76/769/EEC)	0.0005	N.D.	
Test Item (s):	Unit	Method	MDL	Result	
Test item (s).	Unit	Method	MDL	No.1	No.2
Chromium VI (Cr+6)	ppm	As per US EPA 7196A and US EPA 3060A.	2	N.D.	N.D.
Cadmium (Cd)	ppm	ICP-AES after as per EN 1122, method B:2001 or other acid digestion.	2	N.D.	N.D.
Mercury (Hg)	ppm	ICP-AES after as per US EPA 3052 or other acid digestion.	2	N.D.	N.D.
Lead (Pb)	ppm	ICP-AES after as per US EPA 3050B or other acid digestion.	2	52.5	14.6

NOTE : (1) N.D. = Not detected (<MDL)

- (2) ppm = mg/kg
- (3) MDL = Method Detection Limit
- (4) " --- " = Not Applicable

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company



EASE ELECTRONICS CO., LTD. 26, LANE 659, PING TUNG RD., PING CHENG CITY, TAOYUAN, TAIWAN 

 Report No.
 : CE/2005/10268

 Date
 : 2005/01/11

 Page
 : 3 of 3



The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company