



Test Report

EASE ELECTRONICS CO., LTD.
26, LANE 659, PING TUNG RD., PING CHENG CITY,
TAOYUAN, TAIWAN

Report No. : CE/2005/10272
Date : 2005/01/11
Page : 1 of 3

The following merchandise was (were) submitted and identified by the client as :

Type of Product : CERAMIC DISC CAPACITORS,RADIAL LEADED AND EPOXY COATING
Style/Item No : Z5U CHARACTERISTIC,EE203M3A9L1B
Sample Received : 2005/01/04
Testing Date : 2005/01/04 TO 2005/01/11

=====
Test Result : - Please see the next page -


Daniel Yeh, M.R. / Operation Manager
Signed for and on behalf of
SGS TAIWAN LTD.



Test Report

EASE ELECTRONICS CO., LTD.
 26, LANE 659, PING TUNG RD., PING CHENG CITY,
 TAOYUAN, TAIWAN

Report No. : CE/2005/10272
 Date : 2005/01/11
 Page : 2 of 3

Test Result

PART NAME NO.1 : BLUE EPOXY BODY WITH BLACK PRINTED
 (PLEASE REFER TO THE PHOTO ATTACHED)

PART NAME NO.2 : SILVER COLORED METAL PIN (PLEASE REFER TO
 THE PHOTO ATTACHED)

Test Item (s):	Unit	Method	MDL	Result	
				No.1	No.2
PBBs(Polybrominated biphenyls)(CAS NO:059536-65-1)	%	With reference to USEPA3540 or USEPA3550. Analysis was performed by HPLC/DAD, LC/MS or GC/MS. (prohibited by 2002/95/EC (RoHS), 83/264/EEC, and 76/769/EEC)	0.0005	N.D.	---
PBBEs(PBDEs)(Polybrominated biphenyl ethers)	%	With reference to USEPA3540 or USEPA3550. Analysis was performed by HPLC/DAD, LC/MS or GC/MS. (prohibited by 2002/95/EC (RoHS), 83/264/EEC, and 76/769/EEC)	0.0005	N.D.	---

Test Item (s):	Unit	Method	MDL	Result	
				No.1	No.2
Chromium VI (Cr+6)	ppm	As per US EPA 7196A and US EPA 3060A.	2	N.D.	N.D.
Cadmium (Cd)	ppm	ICP-AES after as per EN 1122, method B:2001 or other acid digestion.	2	N.D.	N.D.
Mercury (Hg)	ppm	ICP-AES after as per US EPA 3052 or other acid digestion.	2	N.D.	N.D.
Lead (Pb)	ppm	ICP-AES after as per US EPA 3050B or other acid digestion.	2	23.7	14.4

NOTE : (1) N.D. = Not detected (<MDL)
 (2) ppm = mg/kg
 (3) MDL = Method Detection Limit
 (4) " --- " = Not Applicable

Test Report

EASE ELECTRONICS CO., LTD.
26, LANE 659, PING TUNG RD., PING CHENG CITY,
TAOYUAN, TAIWAN

Report No. : CE/2005/10272
Date : 2005/01/11
Page : 3 of 3

