

EASE ELECTRONICS CO., LTD. 26, LANE 659, PING TUNG RD., PING CHENG CITY, TAOYUAN, TAIWAN

:

 Report No.
 : CE/2005/12164

 Date
 : 2005/01/20

 Page
 : 1 of 3

The following merchandise was (were) submitted and identified by the client as :

| <u>Type of Product</u> | : | CERAMIC DISC CAPACITORS, RADIAL LEADED AND EPOXY COATING |
|------------------------|---|---|
| <u>Style/Item No</u> | : | Z5V CHARACTERISTIC, EF333M3A9L1B |
| Sample Received | : | 2005/01/13 |
| Testing Date | : | 2005/01/13 TO 2005/01/20 |
| | | |

Test Result

- Please see the next page -

Operation Manager

Darifel Yeh, M.R. YOperation Manage Signed for and on behalf of SGS TAIWAN LTD.

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company



EASE ELECTRONICS CO., LTD. 26, LANE 659, PING TUNG RD., PING CHENG CITY, TAOYUAN, TAIWAN

| Report No. | : CE/2005/12164 |
|------------|-----------------|
| Date | : 2005/01/20 |
| Page | : 2 of 3 |

<u>Test Result</u>

PART NAME NO.1

PART NAME NO.2

BLUE CERAMIC BODY WITH BLACK PRINTED (PLEASE REFER TO THE PHOTO ATTACHED)
SILVER COLORED METAL PIN (PLEASE REFER TO THE PHOTO ATTACHED)

| Test Item (s): | Unit | Method | MDL | Result | |
|---|------|--|--------|--------|------|
| | | | | No.1 | No.2 |
| PBBs(Polybrominated biphenyls)(CAS NO:059536- 65-1) | % | With reference to USEPA3540 or USEPA3550. Analysis was performed by HPLC/DAD, LC/MS or GC/MS. (prohibited by 2002/95/EC (RoHS), 83/264/EEC, and 76/769/EEC) | 0.0005 | N.D. | |
| PBBEs(PBDEs)(Polybrominat ed biphenyl ethers) | % | With reference to USEPA3540 or USEPA3550. Analysis was performed by HPLC/DAD, LC/MS or GC/MS. (prohibited by 2002/95/EC (RoHS), 83/264/EEC, and 76/769/EEC) | 0.0005 | N.D. | |
| Test Item (s): | Unit | Method | MDL | Result | |
| | | | | No.1 | No.2 |
| Chromium VI (Cr+6) | ppm | As per US EPA 7196A and US EPA 3060A. | 2 | N.D. | N.D. |
| Cadmium (Cd) | ppm | ICP-AES after as per EN | 2 | N.D. | N.D. |

| | | US EPA 3060A. | | | |
|--------------|-----|-------------------------|---|------|------|
| Cadmium (Cd) | ppm | ICP-AES after as per EN | 2 | N.D. | N.D. |
| | | 1122, method B:2001 or | | | |
| | | other acid digestion. | | | |
| Mercury (Hg) | ppm | ICP-AES after as per US | 2 | N.D. | N.D. |
| | | EPA 3052 or other acid | | | |
| | | digestion. | | | |
| Lead (Pb) | ppm | ICP-AES after as per US | 2 | 31.7 | 11.5 |
| | | EPA 3050B or other acid | | | |
| | | digestion. | | | |

NOTE : (1) N.D. = Not detected (<MDL)

- (2) ppm = mg/kg
- (3) MDL = Method Detection Limit
- (4) " --- " = Not Applicable

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company



EASE ELECTRONICS CO., LTD. 26, LANE 659, PING TUNG RD., PING CHENG CITY, TAOYUAN, TAIWAN
 Report No.
 : CE/2005/12164

 Date
 : 2005/01/20

 Page
 : 3 of 3



The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company